

### United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER OF PATENTS AND TRADEMARKS Washington, D.C. 20231 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/464,322	12/15/1999	HEUNG-KYU KWON	AB-881US	7367
24251	7590 02/28/2002			
SKJERVEN MORRILL MACPHERSON LLP 25 METRO DRIVE SUITE 700			EXAMINER	
			CHU, CHRIS C	
SAN JOSE, CA 95110			ART UNIT	PAPER NUMBER
			2815	
			DATE MAILED: 02/28/2002	

Please find below and/or attached an Office communication concerning this application or proceeding.

`						
	Application No.	Applicant(s)				
t.	09/464,322	KWON ET AL.				
Office Action Summary	Examiner	Art Unit				
•	Chris C. Chu	2815				
The MAILING DATE of this communication appears on the cover sheet with the correspondence address Period for Reply						
A SHORTENED STATUTORY PERIOD FOR REPLY THE MAILING DATE OF THIS COMMUNICATION.  - Extensions of time may be available under the provisions of 37 CFR 1.13 after SIX (6) MONTHS from the mailing date of this communication.  - If the period for reply specified above is less than thirty (30) days, a reply - If NO period for reply is specified above, the maximum statutory period v - Failure to reply within the set or extended period for reply will, by statute.  - Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).  Status	36(a). In no event, however, may a reply by within the statutory minimum of thirty (30) will apply and will expire SIX (6) MONTHS for a cause the application to become ABANDO	e timely filed  days will be considered timely.  rom the mailing date of this communication.  DNED (35 U.S.C. § 133).				
1) Responsive to communication(s) filed on 14.5	lanuary 2002 .					
2a) This action is <b>FINAL</b> . 2b) ☐ Th	is action is non-final.					
3) Since this application is in condition for allows						
closed in accordance with the practice under <b>Disposition of Claims</b>	Ex parte Quayle, 1955 C.D. T	1, 433 O.G. 213.				
4) Claim(s) 1 - 20 is/are pending in the application	on.					
4a) Of the above claim(s) is/are withdraw	wn from consideration.					
5) Claim(s) is/are allowed.						
6)⊠ Claim(s) <u>1 - 20</u> is/are rejected.						
7) Claim(s) is/are objected to.						
8) Claim(s) are subject to restriction and/or election requirement.						
Application Papers						
9) The specification is objected to by the Examiner.						
10) The drawing(s) filed on is/are: a) accepted or b) objected to by the Examiner.						
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).  11) The proposed drawing correction filed on is: a) approved b) disapproved by the Examiner.						
If approved, corrected drawings are required in reply to this Office action.						
12) The oath or declaration is objected to by the Examiner.						
Priority under 35 U.S.C. §§ 119 and 120						
13) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).						
a)⊠ All b) Some * c) None of:						
1. Certified copies of the priority document	s have been received.					
2. Certified copies of the priority document	s have been received in Appli	cation No				
<ul> <li>3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).</li> <li>* See the attached detailed Office action for a list of the certified copies not received.</li> </ul>						
14) Acknowledgment is made of a claim for domestic priority under 35 U.S.C. § 119(e) (to a provisional application).						
<ul> <li>a) ☐ The translation of the foreign language pro</li> <li>15)☐ Acknowledgment is made of a claim for domest</li> </ul>						
Attachment(s)						
<ol> <li>Notice of References Cited (PTO-892)</li> <li>Notice of Draftsperson's Patent Drawing Review (PTO-948)</li> <li>Information Disclosure Statement(s) (PTO-1449) Paper No(s) _</li> </ol>	5) Notice of Infor	mary (PTO-413) Paper No(s) nal Patent Application (PTO-152)				

Art Unit: 2815

### **DETAILED ACTION**

## Response to Preliminary Amendment

1. The preliminary Amendment filed on January 14, 2002 has been received and entered in this Office Action.

Amend claims: 1.

# Claim Rejections - 35 USC § 102

2. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

- (b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.
- 3. Claims 1, 6, 11, 14, 16 and 17 are rejected under 35 U.S.C. 102(b) as being anticipated by Hawthorne et al.

Note Fig. 3 of Hawthorne et al., where he/she shows a semiconductor chip package comprising a substrate (40, 50a and 50b) having a plurality of bonding pads; a semiconductor chip (44) having a plurality of conductive bumps (54) on a front side thereof (see Fig. 3), the conductive bumps (54) contacting the bonding pads (see Fig. 3); a heat slug (66) bonded to a backside of the semiconductor chip (see Fig. 3); and a solder film (71) directly attached to the heat slug (66) thereby bonding the heat slug to the backside of the semiconductor chip (see Fig.

Art Unit: 2815

3). Further, the recitation "a plurality of bonding pads" is structurally inherent in Hawthorne et al. Furthermore, since Hawthorne et al. does not limit the adhesive to any particular or specific adhesive, his/her disclosure encompasses all well known adhesives including "solder film."

Regarding claims 6 and 17, note Fig. 3 of Hawthorne et al., where he/she clearly shows that the solder film (71) has a size equal to or larger than a size of the semiconductor chip (44).

Regarding claim 11, note Fig. 3 of Hawthorne et al., where he/she clearly shows that a portion of the heat slug (66) is attached to the substrate (40, 50a and 50b).

Regarding claim 14, the method steps are disclosed by Hawthorne et al. for the same reasons provided above the device claim 1.

Regarding claim 16, note Fig. 3 of Hawthorne et al., where he/she shows a semiconductor chip package comprising a substrate (40, 50a and 50b) having a plurality of bonding pads (see Fig. 3); a semiconductor chip (44) having a plurality of conductive bumps (54) on a front side thereof, the conductive bumps (54) contacting the bonding pads (see Fig. 3); a heat slug (66) bonded to the semiconductor chip (see Fig. 3), the heat slug (66) comprising a top portion, side standing portions bent from the top portion, and side end portions bent again from the side standing portions (see Fig. 3); and a solder film (71) that bonds the heat slug (66) to the backside of the semiconductor chip (see Fig. 3), wherein the top portion of the heat slug (66) contacts the conductive solder film (71) and the side end portions (70) of the heat slug (66) are attached to the substrate (40, 50a and 50b) by an adhesive (62 and see Fig. 3). Further, the recitation "a plurality of bonding pads" is structurally inherent in Hawthorne et al. Furthermore, since Hawthorne et al. does not limit the adhesive to any particular or specific adhesive, his/her disclosure encompasses all well known adhesives including "solder film."

Art Unit: 2815

## Claim Rejections - 35 USC § 103

- 4. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
  - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 5. Claims 2 and 13 are rejected under 35 U.S.C. 103(a) as being unpatentable over Hawthorne et al. in view of Haley.

Hawthorne et al. discloses the claimed invention except for the material of the solder film, which includes one selected from "a group consisting of Pb, Sn, Ag, In, and Bi." However, Haley discloses the material of the solder film (column 3, lines 66 –67). Thus, it would have been obvious to one of ordinary skill in the art at the time the invention was made to modify Hawthorne et al. by selecting from a group consisting of Pb, Sn, Ag, In, and Bi for the material of the solder film as taught by Haley. The ordinary artisan would have been motivated to modify Hawthorne et al. in the manner described above for at least the purpose of increasing the bond strength between the semiconductor chip and the heat slug.

Regarding claim 13, Hawthorne et al. discloses the claimed invention except for a plurality of "throughholes" on the heat slugs. However, Haley discloses the plurality of "throughholes" on the heat slugs (108 and 109 in Fig. 1). Thus, it would have been obvious to one of ordinary skill in the art at the time the invention was made to modify Hawthorne et al. by

Art Unit: 2815

adding the plurality of "throughholes" on the heat slugs as taught by Haley. The ordinary artisan would have been motivated to modify Hawthorne et al. in the manner described above for at least the purpose of decreasing moisture inside of the package.

6. Claims 3, 5, 8, 9 and 19 are rejected under 35 U.S.C. 103(a) as being unpatentable over Hawthorne et al. in view of Maheshwari et al.

Regarding claim 3, Hawthorne et al. discloses the claimed invention except for the backside of the semiconductor chip includes a metal layer formed thereon for strengthening adhesion between the semiconductor chip and the solder film. However, Maheshwari et al. discloses the backside of the semiconductor chip includes a metal layer (balance plate) formed thereon for strengthening adhesion between the semiconductor chip and the solder film (see Fig. 2). Thus, it would have been obvious to one of ordinary skill in the art at the time the invention was made to modify Hawthorne et al. by adding the metal layer on the backside of the semiconductor chip as taught by Maheshwari et al. The ordinary artisan would have been motivated to modify Hawthorne et al. in the manner described above for at least the purpose of minimizes substrate and die warpage induced after underfill cure operations (read column 1, lines 66 and 67). As to the language on lines 2 and 3 of claim 3, "formed thereon for strengthening adhesion between the semiconductor chip and the solder film", applicant should note that this is merely "result or function" language which cannot be relied upon to define over Hawthorne et al., since Hawthorne et al. discloses all of the claimed elements.

Regarding claim 5, Hawthorne et al. discloses the claimed invention except for an underfilling material to fill a space between the semiconductor chip and the substrate. However,

Art Unit: 2815

Fig. 2 of Maheshwari et al. clearly shows that an underfilling material is filled between the semiconductor chip and the substrate. Thus, it would have been obvious to one of ordinary skill in the art at the time the invention was made to modify Hawthorne et al. by adding the underfilling material between the semiconductor chip and the substrate as taught by Maheshwari et al. The ordinary artisan would have been motivated to modify Hawthorne et al. in the manner described above for at least the purpose of preventing the cracking of the conductive bumps.

Regarding claims 8 and 19, Hawthorne et al. discloses the claimed invention except for the heat slug comprises an adhesion layer formed on a surface of the heat slug that contacts the solder film. However, Maheshwari et al. discloses the heat slug comprises an adhesion layer (balance plate) formed on a surface of the heat slug that contacts the solder film (see Fig. 2). Thus, it would have been obvious to one of ordinary skill in the art at the time the invention was made to modify Hawthorne et al. by adding the adhesion layer on a surface of the heat slug that contacts the solder film as taught by Maheshwari et al. The ordinary artisan would have been motivated to modify Hawthorne et al. in the manner described above for at least the purpose of minimizes substrate and die warpage induced after underfill cure operations (read column 1, lines 66 and 67). Further, since the term "adhesion layer (14 in Fig. 1 of instant invention)" is a multi-layer metal structure (read page 3, lines 8 ~ 10 of amended specification), Maheshwari et al. discloses the adhesion layer.

Regarding claim 9, Hawthorne et al. discloses the claimed invention except for the adhesion layer is a layer selected from a group consisting of a Ni/Au layer, a Ag layer, and a Pd layer. However, it would have been obvious to one having ordinary skill in the art at the time the invention was made to using the Ni/Au layer, Ag layer, or Pd layer for the adhesion layer, since

Art Unit: 2815

it has been held to be within the general skill of a worker in the art to select a known material on the basis of its suitability for the intended use as a matter of obvious design choice. The ordinary artisan would have been motivated to modify Hawthorne et al. in the manner described above for at least the purpose of increasing the bond strength between the heat slug and the solder film. In re Leshin, 125 USPQ 416.

7. Claim 4 is rejected under 35 U.S.C. 103(a) as being unpatentable over Hawthorne et al. in view of Maheshwari et al. as applied to claims 1 and 3 above, and further in view of Furukawa et al.

Hawthorne et al. discloses the claimed invention except for the material of the metal layer, which includes one selected from "a group consisting of VNi/Au, Ti/VNi/Au, Cr/Vni/Au, Ti/Pt/Au, and etc." However, Furukawa et al. discloses the material of the metal layer (column 9, lines 63 –64). Thus, it would have been obvious to one of ordinary skill in the art at the time the invention was made to modify Hawthorne et al. by selecting from a group consisting of VNi/Au, Ti/VNi/Au, Cr/Vni/Au, Ti/Pt/Au, and etc for the material of the metal layer as taught by Furukawa et al. The ordinary artisan would have been motivated to modify Hawthorne et al. in the manner described above for at least the purpose of increasing the bond strength between the semiconductor chip and the solder film.

8. Claims 7 and 18 are rejected under 35 U.S.C. 103(a) as being unpatentable over Hawthorne et al. in view of Takahama et al.

Art Unit: 2815

Regarding claims 7 and 18, Hawthorne et al. discloses the claimed invention except that the heat slug is formed of a material selected from a group consisting of Cu, Al, and CuW. However, Takahama et al. discloses that the material of the heat slug (column 6, lines 38 – 39). Thus, it would have been obvious to one of ordinary skill in the art at the time the invention was made to modify Hawthorne et al. by selecting from a group consisting as of Cu, Al, and CuW as taught by Takahama et al. The ordinary artisan would have been motivated to modify Hawthorne et al. in the manner described above for at least the purpose of improving heat dissipation.

9. Claims 10 and 20 are rejected under 35 U.S.C. 103(a) as being unpatentable over Hawthorne et al. in view of Jeong et al.

Regarding claims 10 and 20, Hawthorne et al. discloses the claimed invention except for the heat slug is coated with an anodizing layer on a surface of the heat slug that is opposite to another surface of the heat slug, on which the semiconductor chip is bonded. However, Jeong et al. discloses that the anodizing layer (73b in Fig. 6 and column 8, lines 2-5 and read column 7, lines  $65 \sim 67$ ) on a surface of the heat slug (73) that is opposite to another surface of the heat slug, on which the semiconductor chip is bonded (see Fig. 6). Thus, it would have been obvious to one of ordinary skill in the art at the time the invention was made to modify Hawthorne et al. by adding the anodizing layer as taught by Jeong et al. The ordinary artisan would have been motivated to modify Hawthorne et al. in the manner described above for at least the purpose of increasing the corrosion resistant and electrical insulation.

10. Claim 12 is rejected under 35 U.S.C. 103(a) as being unpatentable over Hawthorne et al.

Art Unit: 2815

Hawthorne et al. discloses the claimed invention except for the adhesive includes silicon rubber or elastomer. However, it would have been obvious to one having ordinary skill in the art at the time the invention was made to using silicon rubber or elastomer material for the adhesive, since it has been held to be within the general skill of a worker in the art to select a known material on the basis of its suitability for the intended use as a matter of obvious design choice. The ordinary artisan would have been motivated to modify Hawthorne et al. in the manner described above for at least the purpose of increasing the bond strength between the heat slug and the substrate. In re Leshin, 125 USPQ 416.

11. Claim 15 is rejected under 35 U.S.C. 103(a) as being unpatentable over Hawthorne et al. in view of Wang et al.

Hawthorne et al. discloses the claimed invention except for the filling a resin into a space between the semiconductor chip and the substrate. However, Wang et al. discloses that filling a resin into a space between the semiconductor chip and the substrate. Thus, it would have been obvious to one of ordinary skill in the art at the time the invention was made to modify Hawthorne et al. by filling a resin into a space between the semiconductor chip and the substrate as taught by Wang et al. The ordinary artisan would have been motivated to modify Hawthorne et al. in the manner described above for at least the purpose of increasing the attachment between the semiconductor chip and the substrate.

Art Unit: 2815

# Response to Arguments

12. Applicant's arguments with respect to claims  $1 \sim 20$  have been considered but are most in view of the new ground(s) of rejection.

### Conclusion

13. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure. Baba et al., Chen, Covell, II et al., Higgins, III, Fujitsu, Kurokawa, Lin et al., Iwatani and Steidlitz discloses the semiconductor chip package containing a heat slug.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Chris C. Chu whose telephone number is (703) 305-6194. The examiner can normally be reached on M-F (10:30 - 7:00).

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Eddie C. Lee can be reached on (703) 308-1690. The fax phone numbers for the organization where this application or proceeding is assigned are (703) 308-7382 for regular communications and (703) 308-7722 for After Final communications.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is (703) 308-0956.

Art Unit: 2815

Chris C. Chu Examiner Art Unit 2815

c.c.

February 25, 2002

EDDIE LEI

SUPERVISORY PATENT EXAMINER TECHNOLOGY CENTER 2800